Eaton 126636L-B21

Catalog Number: 126636L-B21

Eaton Cooper Power series disconnect switch, Vertical, 3" B.C. porcelain, 110 kV, Station, 15.5 kV, 600 A, Tin-plated 2-hole NEMA terminal pads, Galvanized steel hook, Special base 277030-B21

72.384 lb

General specifications

7 in



23 in 15.75 in

Product Width Product Weight

Compliances Certifications

Not Applicable IEEE C37.34





Accessories

Special features

Special base 277030-B21

Terminal options

Tin-plated 2-hole NEMA terminal pads

Application

Application

Station

Description

Blade stop options

90° blade stop, can be field-removed for 180° travel

Insulation material

3" B.C. porcelain

Switch type

Disconnect switch

Electrical Ratings

Amperage Rating

600 A

Basic impulse level full wave crest

110 kV

Phase type

Single-phase

Voltage rating

15.5 kV

Loadbreak Hook

Loadbreak hook material

Galvanized steel hook

Mounting

Mounting configuration

Vertical

Resources

Brochures

D73P Disconnect and By-Pass Switches Catalog

Specifications and datasheets

Eaton Specification Sheet - 126636L-B21



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia