# Eaton 126636L-TAN

## Catalog Number: 126636L-TAN

Eaton Cooper Power series disconnect switch, Vertical, 3" B.C. porcelain (3), 110 kV, Station, 15.5 kV, 600 A, Tin-plated 2-hole NEMA terminal pads, Galvanized steel hook, Tandem blade switch

0.001 lb

## General specifications



7 in

53 in 15.75 in

Product Width Product Weight

Compliances Certifications

Not Applicable IEEE C37.34



### Accessories

#### Special features

Tandem blade switch

#### Terminal options

Tin-plated 2-hole NEMA terminal pads

## **Application**

#### Application

Station

## Description

#### Blade stop options

90° blade stop, can be field-removed for 180° travel

#### Insulation material

3" B.C. porcelain (3)

### Switch type

Disconnect switch

## **Electrical Ratings**

## Amperage Rating

600 A

### Basic impulse level full wave crest

110 kV

### Phase type

Single-phase

### Voltage rating

15.5 kV

## Loadbreak Hook

#### Loadbreak hook material

Galvanized steel hook

## Mounting

#### Mounting configuration

Vertical

## Resources

#### **Brochures**

D73P Disconnect and By-Pass Switches Catalog

#### Specifications and datasheets

Eaton Specification Sheet - 126636L-TAN



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia