

# Eaton BQ215230

Catalog number: BQ215230

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 15 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V, BQ, Independent, #14-4 AWG Cu/Al, Q28, BQ, Type BR Loadcenters

## General specifications



### Product Name

Eaton BR thermal magnetic circuit breaker

### Catalog Number

BQ215230

### UPC

786676004404

### Product Length/Depth

3 in

### Product Height

3 in

### Product Width

2 in

### Product Weight

.7 lb

### Warranty

Limited lifetime residential, 1 year commercial

### Compliances

Federal Specifications Classification W-C375

### Certifications

UL 489

### Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

## defaultTaxonomyAttributeLabel

### Special features

Includes rejection tab feature

### Interrupt rating

10 kAIC

### Wire size

#14-4 AWG Cu/Al

### Main circuit breaker

BQ

### Quantity

28

### Mounting Method

Plug-on

### Amperage Rating

(1) Two-Pole 15A, (1) Two-Pole 30A

### Number of poles

Four-pole

### Type

Type BQ 1-Inch CTL plug-on circuit breaker

### Circuit breaker type

BQ

### Used with

Type BR Loadcenters

### Voltage rating

120/240 V

### Trip Type

Independent

## Resources

### Brochures

[Loadcenters and Circuit Breakers](#)

### Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

### Specifications and datasheets

[Eaton Specification Sheet - BQ215230](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2022 Eaton  
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)