

Eaton BQ2202115

Catalog number: BQ2202115

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (2) Single-Pole 15 A, (1) Two-Pole 20 A, 10 kAIC, Four-pole, 120/240V at 20A, 120V at 20A, BQ, Independent, #14-4 AWG Cu/Al, Q28, BQ

General specifications



Product Name	Catalog Number
Eaton BR thermal magnetic circuit breaker	BQ2202115
	UPC
	786676371353

Product Length/Depth	Product Height
3 in	3 in

Product Width	Product Weight
2 in	.76 lb

Compliances	Certifications
Federal Specifications Classification W-C375	UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

defaultTaxonomyAttributeLabel

Special features

Includes rejection tab feature

Interrupt rating

10 kAIC

Wire size

#14-4 AWG Cu/Al

Main circuit breaker

BQ

Quantity

28

Mounting Method

Plug-on

Amperage Rating

(2) Single-Pole 15A, (1) Two-Pole 20A

Number of poles

Four-pole

Type

Type BQ 1-Inch CTL plug-on circuit breaker

Circuit breaker type

BQ

Used with

Type BR Loadcenters

Voltage rating

120/240V at 20A, 120V at 20A

Trip Type

Independent

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Specifications and datasheets

[Eaton Specification Sheet - BQ2202115](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)