

Eaton BQ225230

Catalog number: BQ225230

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 25 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V, BQ, Independent, #14-4 AWG Cu/Al, Q28, BQ, Type BR Loadcenters

General specifications



Product Name

Eaton BR thermal magnetic circuit breaker

Catalog Number

BQ225230

UPC

786676004510

Product Length/Depth

3 in

Product Height

3 in

Product Width

2 in

Product Weight

.9 lb

Warranty

Limited lifetime residential, 1 year commercial

Compliances

Federal Specifications Classification W-C375

Certifications

UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

defaultTaxonomyAttributeLabel

Special features

Includes rejection tab feature

Interrupt rating

10 kAIC

Wire size

#14-4 AWG Cu/Al

Main circuit breaker

BQ

Quantity

28

Mounting Method

Plug-on

Amperage Rating

(1) Two-Pole 25A, (1) Two-Pole 30A

Number of poles

Four-pole

Type

Type BQ 1-Inch CTL plug-on circuit breaker

Circuit breaker type

BQ

Used with

Type BR Loadcenters

Voltage rating

120/240 V

Trip Type

Independent

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Specifications and datasheets

[Eaton Specification Sheet - BQ225230](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)