Eaton BQ2302120

Catalog number: BQ2302120

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (2) Single-Pole 20 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V at 30A, 120V at 20A, BQ, Independent, #14-4 AWG Cu/AI, Q28, BQ

General specifications



Product Name Catalog Number
Eaton BR thermal magnetic circuit BQ2302120

breaker

0

Product Length/Depth Product Height

3 in 3 in

Product Width Product Weight

2 in .7 lb

Compliances Certifications

Federal Specifications Classification W- UL 489

C375

Catalog Notes

786676371551

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single

poles are switch duty rated.



defaultTaxonomyAttributeLabel

Special features

Includes rejection tab feature

Interrupt rating

10 kAIC

Wire size

#14-4 AWG Cu/AI

Main circuit breaker

BQ

Quantity

28

Mounting Method

Plug-on

Amperage Rating

(2) Single-Pole 20A, (1) Two-Pole 30A

Number of poles

Four-pole

Туре

Type BQ 1-Inch CTL plug-on circuit breaker

Circuit breaker type

BQ

Used with

Type BR Loadcenters

Voltage rating

120/240V at 30A, 120V at 20A

Trip Type

Independent

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQ2302120



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton

All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia