Eaton BQ230220

Catalog number: BQ230220

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 30 A, (1) Two-Pole 20 A, 10 kAIC, Four-pole, 120/240V, BQ, Independent, #14-4 AWG Cu/AI, Q28, BQ, Type BR Loadcenters

General specifications

Product Name

Eaton BR thermal magnetic circuit breaker

Product Length/Depth

3 in

Product Width

2 in

Warranty

Limited lifetime residential, 1 year commercial

Certifications

UL 489

BQ230220 UPC 786676004572 Product Height

Catalog Number

3 in

Product Weight

.9 lb

Compliances

Federal Specifications Classification W-C375

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.





defaultTaxonomyAttributeLabel

Special features

Includes rejection tab feature

Interrupt rating

10 kAIC

Wire size

#14-4 AWG Cu/Al

Main circuit breaker

ΒQ

Quantity

28

Mounting Method

Plug-on

Amperage Rating

(1) Two-Pole 30A, (1) Two-Pole 20A

Number of poles

Four-pole

Type Type BQ 1-Inch CTL plug-on circuit breaker

Circuit breaker type

BQ

Used with Type BR Loadcenters

Voltage rating

120/240 V

Trip Type

Independent

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets Eaton Specification Sheet - BQ230220



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia