

Eaton BQ230250

Catalog number: BQ230250

Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 30 A, (1) Two-Pole 50 A, 10 kAIC, Four-pole, 120/240V, BQ, Independent, #14-4 AWG Cu/Al, Q28, BQ, Type BR Loadcenters

General specifications



Product Name	Catalog Number
Eaton BR thermal magnetic circuit breaker	BQ230250
	UPC
	786676371100

Product Length/Depth	Product Height
2.4 in	3.3 in

Product Width	Product Weight
3.5 in	2.35 lb

Compliances	Certifications
Federal Specifications Classification W-C375	UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

defaultTaxonomyAttributeLabel

Special features

Includes rejection tab feature

Interrupt rating

10 kAIC

Wire size

#14-4 AWG Cu/Al

Main circuit breaker

BQ

Quantity

28

Mounting Method

Plug-on

Amperage Rating

(1) Two-Pole 30A, (1) Two-Pole 50A

Number of poles

Four-pole

Type

Type BQ 1-Inch CTL plug-on circuit breaker

Circuit breaker type

BQ

Used with

Type BR Loadcenters

Voltage rating

120/240 V

Trip Type

Independent

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Specifications and datasheets

[Eaton Specification Sheet - BQ230250](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)