
# Eaton BQC2152130

# Catalog number: BQC2152130

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (2) Single-Pole 30 A, (1) Two-Pole 15 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC



Product Name Eaton BR thermal magnetic circuit breaker

#### Product Length/Depth

3 in

## Product Width

2 in

#### Warranty

Limited lifetime residential, 1 year commercial

#### Certifications

UL 489

BQC2152130 UPC 786676005463 Product Height 3 in

Catalog Number

Product Weight .9 lb

#### Compliances

Federal Specifications Classification W-C375

#### **Catalog Notes**

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.





# Physical Attributes

#### Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type Type BQC 1-Inch CTL plug-on circuit breaker

Wire size #14-4 AWG Cu/AI

# Performance Ratings

Amperage Rating (2) Single-Pole 30A, (1) Two-Pole 15A

Interrupt rating 10 kAIC

Trip Type Common breaker trip

Voltage rating

120/240 V

## Miscellaneous

Main circuit breaker BQC

Special features Includes rejection tab feature

Used with

Type BR Loadcenters

## Resources

Brochures Loadcenters and Circuit Breakers

Catalogs Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC2152130



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia