
Eaton BQC215230

Catalog number: BQC215230

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 15 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC



Product Name Eaton BR thermal magnetic circuit breaker

Product Length/Depth

3 in

Product Width

2 in

Warranty

Limited lifetime residential, 1 year commercial

Certifications

UL 489

BQC215230 UPC 786676006002 Product Height 3 in

Catalog Number

Product Weight .9 lb

Compliances

Federal Specifications Classification W-C375

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.





Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type Type BQC 1-Inch CTL plug-on circuit breaker

Wire size #14-4 AWG Cu/AI

Performance Ratings

Amperage Rating

(1) Two-Pole 15A, (1) Two-Pole 30A

Interrupt rating 10 kAIC

Trip Type Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker BQC

Special features Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures Loadcenters and Circuit Breakers

Catalogs Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC215230



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia