
Eaton BQC215240

Catalog number: BQC215240

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 15 A, (1) Two-Pole 40 A, 10 kAIC, Four-pole, 120/240 V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC





Eaton BR thermal magnetic circuit breaker

Product Length/Depth

3 ir

Product Width

2 in

Warranty

Limited lifetime residential, 1 year commercial

Certifications

UL 489

Catalog Number

BQC215240

UPC

786676006019

Product Height

3 in

Product Weight

.9 lb

Compliances

Federal Specifications Classification W-C375

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.





Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type

Type BQC 1-Inch CTL plug-on circuit breaker

Wire size

#14-4 AWG Cu/AI

Performance Ratings

Amperage Rating

(1) Two-Pole 15A, (1) Two-Pole 40A

Interrupt rating

10 kAIC

Trip Type

Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker

BQC

Special features

Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC215240



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton

All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia