Eaton BQC220240

Catalog number: BQC220240

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 20 A, (1) Two-Pole 40 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC



General specifications

Product Name Eaton BR thermal magnetic circuit breaker

Product Length/Depth

3 in

Product Width

2 in

Compliances

Federal Specifications Classification W-C375

BQC220240 UPC 786676371865 Product Height 3 in

Catalog Number

Product Weight .9 lb

Certifications

UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.



Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type Type BQC 1-Inch CTL plug-on circuit breaker

Wire size #14-4 AWG Cu/AI

Performance Ratings

Amperage Rating

(1) Two-Pole 20A, (1) Two-Pole 40A

Interrupt rating 10 kAIC

Trip Type Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker BQC

Special features Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures Loadcenters and Circuit Breakers

Catalogs Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC220240



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia