

Eaton BQC225230

Catalog number: BQC225230

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 25 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC



General specifications

Product Name

Eaton BR thermal magnetic circuit breaker

Catalog Number

BQC225230

UPC

786676006118

Product Length/Depth

3 in

Product Height

3 in

Product Width

2 in

Product Weight

.9 lb

Warranty

Limited lifetime residential, 1 year commercial

Compliances

Federal Specifications Classification W-C375

Certifications

UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type

Type BQC 1-Inch CTL plug-on circuit breaker

Wire size

#14-4 AWG Cu/Al

Performance Ratings

Amperage Rating

(1) Two-Pole 25A, (1) Two-Pole 30A

Interrupt rating

10 kAIC

Trip Type

Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker

BQC

Special features

Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC225230



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)