

Eaton BQC2302120

Catalog number: BQC2302120

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (2) Single-Pole 20 A, (1) Two-Pole 30 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC



General specifications

Product Name	Catalog Number
Eaton BR thermal magnetic circuit breaker	BQC2302120
	UPC
	786676371780

Product Length/Depth	Product Height
3 in	3 in

Product Width	Product Weight
2 in	.9 lb

Compliances	Certifications
Federal Specifications Classification W-C375	UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single poles are switch duty rated.

Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type

Type BQC 1-Inch CTL plug-on circuit breaker

Wire size

#14-4 AWG Cu/Al

Performance Ratings

Amperage Rating

(2) Single-Pole 20A, (1) Two-Pole 30A

Interrupt rating

10 kAIC

Trip Type

Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker

BQC

Special features

Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Specifications and datasheets

[Eaton Specification Sheet - BQC2302120](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)