Eaton BQC2402120

Catalog number: BQC2402120

Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (2) Single-Pole 20 A, (1) Two-Pole 40 A, 10 kAIC, Four-pole, 120/240 V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC

General specifications



Eaton BR thermal magnetic circuit

breaker

Catalog Number

BQC2402120

UPC

786676371803

Product Length/Depth

3 in

Product Height

Product Weight

3 in

Product Width

2 in .9 lb

Compliances

Certifications

Federal Specifications Classification W- U

C375

UL 489

Catalog Notes

All Type BD Duplex and BQ Quadplex circuit breakers carry listing for HACR applications. All 15 and 20 ampere single

poles are switch duty rated.





Physical Attributes

Circuit breaker type

BQ

Mounting Method

Plug-on

Number of poles

Four-pole

Type

Type BQC 1-Inch CTL plug-on circuit breaker

Wire size

#14-4 AWG Cu/AI

Performance Ratings

Amperage Rating

(2) Single-Pole 20A, (1) Two-Pole 40A

Interrupt rating

10 kAIC

Trip Type

Common breaker trip

Voltage rating

120/240 V

Miscellaneous

Main circuit breaker

BQC

Special features

Includes rejection tab feature

Used with

Type BR Loadcenters

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - BQC2402120



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2022 Eaton

All Rights Reserved

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia