

# Eaton D73P26P0E

Catalog Number: D73P26P0E

Eaton Cooper Power series disconnect switch, Vert or undrhng, Porc ins, 125 kV, Dist, 27.0 kV, 600 A, Tin-pltd 2-hl NEMA term pads, REA bkstp(4-3/8" x 9" blts) Glv stl hook

## General specifications

Product Name	Catalog Number
Eaton Cooper Power series disconnect switch	D73P26P0E
	UPC
	194006090605
Product Length/Depth	Product Height
5 in	30 in
Product Width	Product Weight
8.4 in	0.001 lb
Compliances	Certifications
Not Applicable	IEEE C37.30.1



## Accessories

### Terminal options

Tin-plated 2-hole NEMA terminal pads

## Description

### Backstrap options

REA backstrap (4-3/8" x 9" bolts)

### Blade stop options

90° blade stop, can be field-removed for 180° travel

### Insulation material

Porcelain

### Switch type

Disconnect switch

## Mounting

### Mounting configuration

Vertical or underhung

## Application

### Application

Distribution

## Electrical Ratings

### Amperage Rating

600 A

### Basic impulse level full wave crest

125 kV

### Phase type

Single-phase

### Voltage rating

27.0 kV

## Loadbreak Hook

### Loadbreak hook material

Galvanized steel hook

## Resources

### Application notes

[Line installation and protective equipment product application poster](#)

### Brochures

[D73P Disconnect and By-Pass Switches Catalog](#)

[Line Installation and Protective Equipment Catalog](#)

[Commercial and industrial medium-voltage electrical distribution products brochure](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)