

Eaton D73P26S0AP

Catalog Number: D73P26S0AP

Eaton Cooper Power series disconnect switch, Vert or under, Sil rub, 125 kV, Dist, 27.0 kV, 600 A, Par grve clmp, bmz, 15" bkstrap w/ 2 -mtg blts, Galv stl hk, 150 deg ltch

General specifications

Product Name	Catalog Number
Eaton Cooper Power series disconnect switch	D73P26S0AP
	UPC
	194006092364
Product Length/Depth	Product Height
5 in	30 in
Product Width	Product Weight
8.4 in	0.001 lb
Warranty	Compliances
1 year	Not Applicable
Certifications	
IEEE C37.30.1	



Accessories

Special features

150 degree latch

Terminal options

Parallel groove clamp, bronze

Application

Application

Distribution

Description

Backstrap options

15" backstrap w/ two mounting bolts

Blade stop options

90° blade stop, can be field-removed for 180° travel

Insulation material

Silicone rubber

Switch type

Disconnect switch

Electrical Ratings

Amperage Rating

600 A

Basic impulse level full wave crest

125 kV

Phase type

Single-phase

Voltage rating

27.0 kV

Loadbreak Hook

Loadbreak hook material

Galvanized steel hook

Mounting

Mounting configuration

Vertical or underhung

Resources

Application notes

[Line installation and protective equipment product application poster](#)

Brochures

[Line Installation and Protective Equipment Catalog](#)

[Commercial and industrial medium-voltage electrical distribution products brochure](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)