

# Eaton D73P26S0BEP

Catalog Number: D73P26S0BEP

Eaton Cooper Power series disconnect switch, Vertical or underhung, Silicone rubber, 125 kV, Distribution, 27.0 kV, 600 A, Par grv clamp, bronze, REA backstrap (4-3/8" x 9" bolts), Galv steel hook, bypass studs

## General specifications

Product Name	Catalog Number
Eaton Cooper Power series disconnect switch	D73P26S0BEP
	UPC
	194006086615
Product Length/Depth	Product Height
5 in	30 in
Product Width	Product Weight
8.4 in	0.001 lb
Warranty	Compliances
1 year	Not Applicable
Certifications	
IEEE C37.30.1	



## Accessories

### Special features

Bypass stud

### Terminal options

Tin-plated 2-hole NEMA terminal pads with by-pass studs

## Application

### Application

Distribution

## Description

### Backstrap options

REA backstrap (4-3/8" x 9" bolts)

### Blade stop options

90° blade stop, can be field-removed for 180° travel

### Insulation material

Silicone rubber

### Switch type

Disconnect switch

## Electrical Ratings

### Amperage Rating

600 A

### Basic impulse level full wave crest

125 kV

### Phase type

Single-phase

### Voltage rating

27.0 kV

## Loadbreak Hook

### Loadbreak hook material

Galvanized steel hook

## Mounting

### Mounting configuration

Vertical or underhung

## Resources

### Brochures

[D73P Disconnect and By-Pass Switches Catalog](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)