

Eaton D73P39P0PS

Catalog Number: D73P39P0PS

Eaton Cooper Power series disconnect switch, Vertical or underhung, Porcelain , 150 kV, Distribution, 27.0 kV, 900 A, Tin-plated 2-hole NEMA terminal pads, 15" backstrap w/ two mounting bolts, Parallel groove conn, SS loadbuster hook

General specifications



| | |
|---|----------------|
| Product Name | Catalog Number |
| Eaton Cooper Power series disconnect switch | D73P39P0PS |
| | UPC |
| | 786689709525 |
| Product Length/Depth | Product Height |
| 5 in | 30 in |
| Product Width | Product Weight |
| 10.8 in | 0.001 lb |
| Compliances | Certifications |
| Not Applicable | IEEE C37.30.1 |

Accessories

Special features

Parallel groove connector

Terminal options

Tin-plated 2-hole NEMA terminal pads

Electrical Ratings

Amperage Rating

900 A

Basic impulse level full wave crest

150 kV

Phase type

Single-phase

Voltage rating

27.0 kV

Application

Application

Distribution

Description

Backstrap options

15" backstrap w/ two mounting bolts

Blade stop options

90° blade stop, can be field-removed for 180° travel

Insulation material

Porcelain

Switch type

Disconnect switch

Loadbreak Hook

Loadbreak hook material

Stainless steel hook

Mounting

Mounting configuration

Vertical or underhung

Resources

Brochures

[D73P Disconnect and By-Pass Switches Catalog](#)

Specifications and datasheets

[Eaton Specification Sheet - D73P39P0PS](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)