Eaton M1A11TR2

Catalog Number: M1A11TR2

Eaton Cooper Power series M-Force three-phase switch, 15.5 kV, 900A, 110 kV, 2.25" BC, 28' round pipe 1.0" O.D., Sil rub, Stl - 1 pt It, Horiz pole top, Recip

IEEE Std 1247

General specifications

Product Name

| Product Name | Catalog Number |
|-----------------------------------|----------------------------|
| Eaton Cooper Power series M-Force | M1A11TR2 |
| three-phase switch | UPC 194006123617 |
| Product Length/Depth | Product Height |
| 88 in | 23.9 in |
| Product Width 22.4 in | Product Weight 0.001 lb |
| Compliances | Certifications |
| Not Applicable | IEEE Std C37.34 |



Photo is representative



Description

Control rod and mechanism

28' round pipe 1.0" O.D.

Crossarm material

Steel - single point lift

Insulator bolt pattern

2.25" BC

Material type Silicone rubber

Switch type

M-Force switch

Electrical Ratings

Amperage Rating 900A

Basic impulse level

110 kV

Number of phases

Three-phase

Voltage rating

15.5 kV

M-Force Switch

Mounting configuration (M-force only) Horizontal pole top

Operating handle configuration (M-force only) Reciprocating

Resources

Brochures M-Force Three-Phase Switch Catalog

Installation instructions Manually-Operated M-Force Switch Installation and Operation Instructions

Specifications and datasheets

Eaton Specification Sheet - M1A11TR2

Overhead line installation and protective equipment specifiers guide



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

© 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia