Eaton M1A41TR2T

Catalog Number: M1A41TR2T

Eaton Cooper Power series M-Force three-phase switch, 15.5 kV, 900A, 110 kV, 2.25" BC, 28' 1" pipe Fbrgl tp, SI rbr, Stl-1 pt lft, grd cnn Xarm mtg brkt, Hrz pl top, Recp hnd

General specifications

Product Name

Eaton Cooper Power series M-Force M1A

three-phase switch

40

Product Length/Depth

88 in

Product Width

22.4 in

Compliances

Not Applicable

Catalog Number

M1A41TR2T

UPC

194006107426

Product Height

23.9 in

Product Weight

0.001 lb

Certifications

IEEE Std 1247 IEEE Std C37.34



Description

Control rod and mechanism

28' 1" pipe w/fiberglass top section

Crossarm material

Steel - single point lift

Insulator bolt pattern

2.25" BC

Material type

Silicone rubber

Switch type

M-Force switch

Electrical Ratings

Amperage Rating

900A

Basic impulse level

110 kV

Number of phases

Three-phase

Voltage rating

15.5 kV

M-Force Switch

M-force - optional configurations

grd connector on X-arm mtg brkt

Mounting configuration (M-force only)

Horizontal pole top

Operating handle configuration (M-force only)

Reciprocating

Resources

Brochures

M-Force Three-Phase Switch Catalog

Specifications and datasheets

Eaton Specification Sheet - M1A41TR2T



Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



