

# Eaton P3BFD3040GN

Catalog Number: P3BFD3040GN

Eaton Pow-R-Way III circuit breaker plug-in unit, Busway, Three-pole, FD, Plug, Breaker, F Frame (15-225 A), 40A, 65 kAIC at 240 Vac, 25 kAIC at 480 Vac, 18 kAIC at 600 Vac, 100% Neutral, 50% Internal Ground

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Pow-R-Way III circuit breaker plug-in unit	P3BFD3040GN
	<b>UPC</b>
	786683006644

<b>Product Length/Depth</b>	<b>Product Height</b>
12.36 in	21.2 in

<b>Product Width</b>	<b>Product Weight</b>
5.43 in	25 lb

<b>Warranty</b>	<b>Compliances</b>
Eaton Selling Policy 25-000, one (1) year NEMA Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	<b>Certifications</b>

IEEE Certified  
UL 857  
CSA Certified  
ANSI

## Physical Attributes

### Circuit Breaker Frame

F

### Design

Pow-R-Way III

### Grounding Options

50% Internal

### Number Of Poles

Three-pole

### Type

Breaker

## Performance Ratings

### Amperage Rating

40A

### Interrupt rating

65 kAIC at 240 Vac, 25 kAIC at 480 Vac, 18 kAIC at 600 Vac

### Neutral Options

100%

## Miscellaneous

### Application

Busway

### Product Category

Plug

## Resources

### Brochures

[Pow-R-Way III low voltage busway](#)

### Catalogs

[Eaton's Volume 12—Aftermarket, Renewal Parts and Life Extension Solutions](#)

### Installation instructions

[POW-R-WAY III Low Voltage Bus Plug - Installation](#)

### Multimedia

[The Busway Solution](#)

### Specifications and datasheets

[UL low voltage busway Pow-R-Way III](#)

[Eaton Specification Sheet - P3BFD3040GN](#)

### Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)