

Eaton P3BFD3060

Catalog Number: P3BFD3060

Eaton Pow-R-Way III circuit breaker plug-in unit, Busway, Three-pole, FD, Plug, Breaker, F Frame (15-225 A), 60A, 65 kAIC at 240 Vac, 25 kAIC at 480 Vac, 18 kAIC at 600 Vac, None, 50% Integral or Housing Ground

General specifications



| | |
|--|-----------------------|
| Product Name | Catalog Number |
| Eaton Pow-R-Way III circuit breaker plug-in unit | P3BFD3060 |
| | UPC |
| | 786683006736 |

| | |
|-----------------------------|-----------------------|
| Product Length/Depth | Product Height |
| 12.36 in | 21.2 in |

| | |
|----------------------|-----------------------|
| Product Width | Product Weight |
| 5.43 in | 25 lb |

| | |
|---|-----------------------|
| Warranty | Compliances |
| Eaton Selling Policy 25-000, one (1) year NEMA Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. | Certifications |

IEEE Certified
ANSI
UL 857
CSA Certified

Physical Attributes

Circuit Breaker Frame

F

Design

Pow-R-Way III

Grounding Options

50% Integral/Housing

Number Of Poles

Three-pole

Type

Breaker

Performance Ratings

Amperage Rating

60A

Interrupt rating

65 kAIC at 240 Vac, 25 kAIC at 480 Vac, 18 kAIC at 600 Vac

Miscellaneous

Application

Busway

Product Category

Plug

Resources

Brochures

[Pow-R-Way III low voltage busway](#)

Catalogs

[Eaton's Volume 12—Aftermarket, Renewal Parts and Life Extension Solutions](#)

Installation instructions

[POW-R-WAY III Low Voltage Bus Plug - Installation](#)

Multimedia

[The Busway Solution](#)

Specifications and datasheets

[Eaton Specification Sheet - P3BFD3060](#)

[UL low voltage busway Pow-R-Way III](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia