

NEMA Contactor, TeSys N, nonreversing, Size 3, 90A, 50HP at 460VAC, 3 pole, 3 phase, 120VAC 50/60Hz coil, open

T02EN13G7

Product availability: Stock - Normally stocked in distribution

acility

Price*: 964.00 USD

Main

Product Type	Contactor
Range	TeSys N
Contactor Type	Non-reversing
NEMA Size	3
Motor Horsepower Rating HP	25 hp 200 V AC 30 hp 230 V AC 50 hp 460 V AC 50 hp 575 V AC

Complementary

Rated Current	90 A
[Ue] Rated Operational Voltage	600 V AC
Network Phases	3 phase
Number of Poles	3P
Control Circuit	Common control circuit
Coil Volltage	120 V AC
Auxiliary Contact Composition	1 NO
Electrical Connection	Lugs ordered separately
Height	6.38 in (162.05 mm)
Width	6.44 in (163.58 mm)
Depth	6.68 in (169.67 mm)
Product Weight	8.90 lb(US) (4.04 kg)

Environmental

Product Certifications	UL Listed CSA
NEMA Degree of Protection	Not rated (open device)

Ordering and shipping details

Category 21197-TESYS N CONTACTORS SIZES 3 - 7

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Discount Schedule	CP1	
GTIN	785901955153	
Returnability	No	
Country of origin	CZ	

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.30 in (18.542 cm)
Package 1 Width	9.00 in (22.86 cm)
Package 1 Length	8.00 in (20.32 cm)
Package 1 Weight	7.56 lb(US) (3.429 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Recommended replacement(s)